






Metacil

METAL | U-STRIP
CEILING | BAFFLE
BAFFLE | CEILING


Metacil U-STRIP BAFFLE

MAIN COMPONENT



	A-Length		B-Width	Unit
•	50	x	100	mm
•	75	x	100	mm
•	150	x	100	mm
•	200	x	100	mm


U-STRIP BAFFLE PANEL



COATING AND PAINT OPTIONS

- Powder Coated Standard
Epoxy Polyester Powder Coating : (Minimum 60Micron)
- Powder Coated Exterior Grade
Pure Polyester powder Coating : (Minimum 60Micron)
- Powder Coated Wood Finish
Pure Polyester powder Coating : (Minimum 60Micron) + heat transfer sublimation films
- Pre-Coated PE Paint
Coating Type: PE (Polyester paint)
Top Coat: Usually 15–25 microns (μm).
Back Coat: 5–10 microns (μm).
- Pre-Coated PVDF Exterior
Coating Type: PVDF (Polyvinylidene Fluoride), a high-performance resin-based coating designed for exterior applications.
Top Coat: Typically 25–35 microns (μm).
Back Coat: Typically 5–10 microns (μm).
- Pre-Coated Wood Finish
Coating Type: PE (Polyester paint), a high-performance resin-based coating designed with wood grain.

SIDE VIEW



MATERIALS


- Zinc Plated Galvanized Iron 80/120 Gsm
- Aluminium Alloy As Per 3105 Series
- Stainless Steel 304 Grade

STRUCTURE OPTION


- U-Strip Baffle with 6mm Rod Ceiling System

U-Shaped Baffle Open ceiling is featured by graceful and elegant line, and amazing curtain effect when installed in appropriate height and angle. Baffle Ceilings create unique room atmospheres. The free space between the baffles is optimally suitable for the integration of luminaries, sprinkler, smoke detectors, security systems and air conditioning or similar.



U-STRIP BAFFLE CEILING SYSTEM WITH 6MM ROD





- 1. U-SHAPED BAFFLE PANEL
- 2. END CAP
- 3. U-SHAPED BAFFLE PANEL JOINTER
- 4. U-SHAPED BAFFLE CARRIER
- 5. U-SHAEPD BAFFLE CARRIER JOINTER
- 6. FASTENER
- 7. THREADED ROD



COMPONENT DETAILS

	U SHAPE BAFFLE PANEL JOINTER SIZE : OPTIONAL DESCRIPTION : NA THICKNESS : OPTIONAL MATERIAL : OPTIONAL SURFACE : OPTIONAL COATING : OPTIONAL COLOR : OPTIONAL
	U SHAPE BAFFLE CARRIER JOINTER SIZE : 22 x 28mm DESCRIPTION : U-SHAPE THICKNESS : 0.5mm MATERIAL : G.I SURFACE : PLAIN COATING : CC/PC COLOR : BLACK
	THREADED ROD SIZE : 6MM DESCRIPTION : NA THICKNESS : NA MATERIAL : G.I SURFACE : THREADED COATING : U/C COLOR : NA

U-STIRP BAFFLE CEILING SYSTEM

	U SHAPE BAFFLE CARRIER SIZE : 24 x 38mm DESCRIPTION : U-SHAPE THICKNESS : 0.5mm MATERIAL : G.I SURFACE : PLAIN COATING : POWDER COATING COLOR : BLACK
	END CAP SIZE : OPTIONAL DESCRIPTION : NA THICKNESS : OPTIONAL MATERIAL : OPTIONAL SURFACE : OPTIONAL COATING : OPTIONAL COLOR : OPTIONAL
	FASTENER SIZE : M6/M8 DESCRIPTION : NA THICKNESS : 1.5mm MATERIAL : G.S SURFACE : ROUND COATING : C/C COLOR : NA



Metacil

Contact Us



admin@metacil.com



Surajpur industrial Area, Greater
Noida, Uttar Pradesh



www.metacil.com



+91 9999 333 254 /
+91 9999 333 265